Workshops for the Helping Professions: www.compassionfatigue.ca

Your Scores On The ProQOL: Professional Quality of Life Screening

For more information on the ProQOL, go to http://www.isu.edu/~bhstamm

Based on your responses, your personal scores are below. If you have any concerns, you should discuss them with a physical or mental health care professional.

Compassion Satisfaction
Compassion satisfaction is about the pleasure you derive from being able to do your work well. For example, you may feel like it is a pleasure to help others through your work. You may feel positively about your colleagues or your ability to contribute to the work setting or even the greater good of society. Higher scores on this scale represent a greater satisfaction related to your ability to be an effective caregiver in your job.
The average score is 37 (SD 7; alpha scale reliability .87). About 25% of people score higher than 42 and about 25% of people score below 33. If you are in the higher range, you probably derive a good deal of professional satisfaction from your position. If your scores are below 33, you may either find problems with your job, or there may be some other reason—for example, you might derive your satisfaction from activities other than your job.
Burnout
Most people have an intuitive idea of what burnout is. From the research perspective, burnout is associated with feelings of hopelessness and difficulties in dealing with work or in doing your job effectively. These negative feelings usually have a gradual onset. They can reflect the feeling that your efforts make no difference, or they can be associated with a very high workload or a non-supportive work environment. Higher scores on this scale mean that you are at higher risk for burnout.
The average score on the burnout scale is 22 (SD 6.0; alpha scale reliability .72). About 25% of people score above 27 and about 25% of people score below 18. If your score is below 18, this probably reflects positive feelings about your ability to be effective in your work. If you score above 27 you may wish to think about what at work makes you feel like you are not effective in your position. Your score may reflect your mood; perhaps you were having a "bad day" or are in need of some time off. If the high score persists or if it is reflective of other worries, it may be a cause for concern.
Compassion Fatigue/Secondary Trauma
Compassion fatigue (CE) also called secondary trauma (STS) and related to Vicarious Trauma (VT), is about your

Compassion fatigue (CF), also called secondary trauma (STS) and related to Vicarious Trauma (VT), is about your work-related, secondary exposure to extremely stressful events. For example, you may repeatedly hear stories about the traumatic things that happen to other people, commonly called VT. If your work puts you directly in the path of danger, such as being a soldier or humanitarian aide worker, this is not secondary exposure; your exposure is primary. However, if you are exposed to others' traumatic events as a result of your work, such as in an emergency room or working with child protective services, this is secondary exposure. The symptoms of CF/STS are usually rapid in onset and associated with a particular event. They may include being afraid, having difficulty sleeping, having images of the upsetting event pop into your mind, or avoiding things that remind you of the event.

The average score on this scale is 13 (SD 6; alpha scale reliability .80). About 25% of people score below 8 and about 25% of people score above 17. If your score is above 17, you may want to take some time to think about what at work may be frightening to you or if there is some other reason for the elevated score. While higher scores do not mean that you do have a problem, they are an indication that you may want to examine how you feel about your work and your work environment. You may wish to discuss this with your supervisor, a colleague, or a health care professional.

© B. Hudnall Stamm, 1997-2005. *Professional Quality of Life: Compassion Satisfaction and Fatigue Subscales, R-IV (ProQOL)*. http://www.isu.edu/~bhstamm. This test may be freely copied as long as (a) author is credited, (b) no changes are made, and (c) it is not sold. This information is presented for educational purposes only. It is not a substitute for informed medical advice or training. Do not use this information to diagnose or treat a health problem without consulting a qualified health or mental health care provider. If you have concerns, contact your health care provider, mental health professional, or your community health center.